

							Property not available
							Property is available
							Property changed
							Property deleted
Object-Property	2000	2000i	2002	2004	2005	2006	
ACTION							
ACTIVE							
ACTIVEDIMSTYLE							
ACTIVEDOCUMENT							
ACTIVELAYER							
ACTIVELAYOUT							
ACTIVELINETYPE							
ACTIVEPROFILE							
ACTIVEVIEWPORT							
ACTIVSELECTIONSET							
ACTIVSPACE							
ACTIVETEXTSTYLE							
ACTIVEUCS							
ACTIVEVIEWPORT							
ADCINSERTUNITSDEFAULTSOURCE							
ADCINSERTUNITSDEFAULTTARGET							
AFFECTSGRAPHICS							
ALGORITHM							
ALIGNMENT							
ALIGNMENTPOINTACQUISITION							
ALLOWEDVALUES							
ALLOWLONGSYMBOLNAMES							
ALTFONTFILE							
ALTROUNDDISTANCE							
ALTSUPPRESSLEADINGZEROS							
ALTSUPPRESSTRILINGZEROS							
ALTSUPPRESSZEROFEET							
ALTSUPPRESSZEROINCHES							
ALTTABLETMENUFILE							
ALTTEXTPREFIX							
ALTTEXTSUFFIX							
ALTTOLERANCEPRECISION							
ALTTOLERANCESUPPRESSLEADINGZEROS							
ALTTOLERANCESUPPRESSTRILINGZEROS							
ALTTOLERANCESUPPRESSZEROFEET							
ALTTOLERANCESUPPRESSZEROINCHES							
ALTUNITS							
ALTUNITSFORMAT							
ALTUNITSPRECISION							
ALTUNITSSCALE							
ANGLE							
ANGLEFORMAT							
ANGLEVERTEX							
ANNOTATION							
APPLICATION							
ARCENDPARAM							
ARCLENGTH							
ARCPOINT							
ARCSMOOTHNESS							
ARCSTARTPARAM							
AREA							
ARROWHEAD1BLOCK							
ARROWHEAD1TYPE							
ARROWHEAD2BLOCK							
ARROWHEAD2TYPE							
ARROWHEADBLOCK							
ARROWHEADSIZE							
ARROWHEADTYPE							

Object-Property	2000	2000i	2002	2004	2005	2006
ASSOCIATIVEHATCH						
ATTACHMENTPOINT						
AUTHOR						
AUTOAUDIT						
AUTOMATICPLOTLOG						
AUTOSAVEINTERVAL						
AUTOSAVEPATH						
AUTOSNAPAPERTURE						
AUTOSNAPAPERTURESIZE						
AUTOSNAPMAGNET						
AUTOSNAPMARKER						
AUTOSNAPMARKERCOLOR						
AUTOSNAPMARKERSIZE						
AUTOSNAPTOOLTIP						
AUTOTRACKINGVECCOLOR						
AUTOTRACKTOOLTIP						
BACKGROUNDFILL						
BACKWARD						
BASEPOINT						
BATCHPLOTPROGRESS						
BEEPONERROR						
BIGFONTFILE						
BITFLAGS						
BLOCK						
BLOCKS						
BLOCKSCALING						
BLUE						
BOOKNAME						
BRIGHTNESS						
CANONICALMEDIANAME						
CAPTION						
CATEGORYNAME						
CENTER						
CENTERMARKSIZE						
CENTERPLOT						
CENTERPOINT						
CENTERTYPE						
CENTROID						
CHECK						
CHORDPOINT						
CIRCUMFERENCE						
CLIPPED						
CLIPPINGENABLED						
CLOSED						
COLOR						
COLORBOOKPATH						
COLORINDEX						
COLORMETHOD						
COLORNAME						
COLUMNS						
COLUMNSPACING						
COLUMNWIDTH						
COMMENT						
COMMENTS						
CONFIGFILE						
CONFIGNAME						
CONSTANT						
CONSTANTWIDTH						
CONTINUOUSPLOTLOG						
CONTOURLINESPERSURFACE						
CONTRAST						
CONTROLPOINTS						
COORDINATE						
COORDINATES						
COUNT						
CREATEBACKUP						

Object-Property	2000	2000i	2002	2004	2005	2006
CURSORSIZE						
CUSTOMDICTIONARY						
CUSTOMSCALE						
DATABASE						
DECIMALSEPARATOR						
DEFAULTINTERNETURL						
DEFAULTOUTPUTDEVICE						
DEFAULTPLOTSTYLEFORLAYER						
DEFAULTPLOTSTYLEFOROBJECTS						
DEFAULTPLOTSTYLETABLE						
DEFAULTPLOTTOFILEPATH						
DEGREE						
DELTA						
DEMANDLOADARXAPP						
DESCRIPTION						
DIAMETER						
DICTIONARIES						
DIMENSIONLINECOLOR						
DIMENSIONLINEEXTEND						
DIMENSIONLINEWEIGHT						
DIMLINE1SUPPRESS						
DIMLINE2SUPPRESS						
DIMLINEINSIDE						
DIMLINESUPPRESS						
DIMSTYLES						
DIRECTION						
DIRECTIONVECTOR						
DISPLAY						
DISPLAYGRIPS						
DISPLAYGRIPSWITHINBLOCKS						
DISPLAYLAYOUTTABS						
DISPLAYLOCKED						
DISPLAYOLESCALE						
DISPLAYSCREENMENU						
DISPLAYSCROLLBARS						
DISPLAYSILHOUETTE						
DOCKEDVISIBLELINES						
DOCKSTATUS						
DOCUMENT						
DOCUMENTS						
DRAFTING						
DRAWINGDIRECTION						
DRIVERSPATH						
EFFECTIVENAME						
ELEVATION						
ELEVATIONMODELSPACE						
ELEVATIONPAPERSPACE						
ENABLE						
ENABLESTARTUPDIALOG						
ENDANGLE						
ENDPARAMETER						
ENDPOINT						
ENDSUBMENULEVEL						
ENDTANGENT						
ENTITYCOLOR						
EXPLODABLE						
EXTENSIONLINECOLOR						
EXTENSIONLINEEXTEND						
EXTENSIONLINEOFFSET						
EXTENSIONLINEWEIGHT						
EXTLINE1ENDPOINT						
EXTLINE1POINT						
EXTLINE1STARTPOINT						
EXTLINE1SUPPRESS						
EXTLINE2ENDPOINT						
EXTLINE2POINT						

Object-Property	2000	2000i	2002	2004	2005	2006
EXTLINE2STARTPOINT						
EXTLINE2SUPPRESS						
FADE						
FEATURE						
FIELDLENGTH						
FILENAME						
FILES						
FILESIZE						
FINGERPRINTGUID						
FIT						
FITPOINTS						
FITTOLERANCE						
FLOATINGROWS						
FLOWDIRECTION						
FLYOUT						
FONTFILE						
FONTFILEMAP						
FORCELINEINSIDE						
FOUNDPATH						
FRACTIONFORMAT						
FREEZE						
FULLCRCVALIDATION						
FULLFILENAME						
FULLNAME						
FULLSCREENTRACKINGVECTOR						
GRADIENTANGLE						
GRADIENTCENTERED						
GRADIENTCOLOR1						
GRADIENTCOLOR2						
GRADIENTNAME						
GRAPHICSWINLAYOUTBACKGRNDCOLOR						
GRAPHICSWINMODELBACKGRNDCOLOR						
GREEN						
GRIDON						
GRIPCOLORSELECTED						
GRIPCOLORUNSELECTED						
GRIPSIZE						
GROUPS						
HANDLE						
HASATTRIBUTES						
HASEXTENSIONDICTIONARY						
HASLEADER						
HASSUBSELECTION						
HASVPASSOCIATION						
HATCHOBJECTTYPE						
HATCHSTYLE						
HEADERSUPPRESSED						
HEIGHT						
HELPPATH						
HELPSTRING						
HISTORYLINES						
HORIZONTALALIGNMENT						
HORIZONTALTEXTPOSITION						
HORZCELLMARGIN						
HWND						
HYPERLINKBASE						
HYPERLINKDISPLAYCURSOR						
HYPERLINKDISPLAYTOOLTIP						
HYPERLINKS						
IMAGEFILE						
IMAGEFRAMEHIGHLIGHT						
IMAGEHEIGHT						
IMAGEVISIBILITY						
IMAGEWIDTH						
INCREMENTALSAVEPERCENT						
INDEX						

Object-Property	2000	2000i	2002	2004	2005	2006
INSERTIONPOINT						
INSUNITS						
INSUNITSFACTOR						
INVISIBLE						
ISCLONED						
ISDYNAMICBLOCK						
ISLAYOUT						
ISMODIFIED						
ISOPENWIDTH						
ISOWNERXLATED						
ISPARTIAL						
ISPERIODIC						
ISPLANAR						
ISPRIMARY						
ISQUIESCENT						
ISRATIONAL						
ISSUER						
ISXREF						
JOGANGLE						
JOGLOCATION						
JUSTIFICATION						
KEY						
KEYBOARDACCELERATOR						
KEYBOARDPRIORITY						
KEYLENGTH						
KEYWORDS						
KNOTS						
LABEL						
LARGEBUTTONS						
LASTHEIGHT						
LASTSAVEDBY						
LAYER						
LAYERON						
LAYERS						
LAYERSTATE						
LAYOUT						
LAYOUTCREATEVIEWPORT						
LAYOUTCROSSHAIRCOLOR						
LAYOUTDISPLAYMARGINS						
LAYOUTDISPLAYPAPER						
LAYOUTDISPLAYPAPERSHADOW						
LAYOUTID						
LAYOUTS						
LAYOUTSHOWPLOTSETUP						
LEADER1POINT						
LEADER2POINT						
LEADERLENGTH						
LEFT						
LENGTH						
LENSLENGTH						
LICENSESERVER						
LIMITS						
LINEARSCALEFACTOR						
LINESPACINGDISTANCE						
LINESPACINGFACTOR						
LINESPACINGSTYLE						
LINETYPE						
LINETYPEGENERATION						
LINETYPES						
LINETYPESCALE						
LINEWEIGHT						
LINEWEIGHTDISPLAY						
LOADACADLSPINALLDOCUMENTS						
LOCALEID						
LOCK						
LOCKPOSITION						

Object-Property	2000	2000i	2002	2004	2005	2006
LOGFILEON						
LOGFILEPATH						
LOWERLEFTCORNER						
MACRO						
MAINDICTIONARY						
MAJORAXIS						
MAJORRADIUS						
MASK						
MAXACTIVEVIEWPORTS						
MAXAUTOCADWINDOW						
MCLOSE						
MDENSITY						
MEASUREMENT						
MENUBAR						
MENUFILE						
MENUFILENAME						
MENUGROUPS						
MENUS						
MINIMUMTABLEHEIGHT						
MINIMUMTABLEWIDTH						
MINORAXIS						
MINORRADIUS						
MODE						
MODELCROSSHAIRCOLOR						
MODELSPACE						
MODELTYPE						
MOMENTOFINERTIA						
MRUNNUMBER						
MSPACE						
MVERTEXCOUNT						
NAME						
NAMENOMNEMONIC						
NCLOSE						
NDENSITY						
NORMAL						
NUMBEROFCONTROLPOINTS						
NUMBEROFCOPIES						
NUMBEROFFACES						
NUMBEROFFITPOINTS						
NUMBEROFFLOOPS						
NUMBEROFVERTICES						
NVERTEXCOUNT						
OBJECTARXPATH						
OBJECTID						
OBJECTNAME						
OBJECTSNAPMODE						
OBJECTSORTBYPLOTING						
OBJECTSORTBYPSOUTPUT						
OBJECTSORTBYREDRAWS						
OBJECTSORTBYREGENS						
OBJECTSORTBYSELECTION						
OBJECTSORTBYSNAP						
OBLIQUEANGLE						
OLELAUNCH						
OLEQUALITY						
ONMENUBAR						
OPENSAVE						
ORIGIN						
ORTHOON						
OUTPUT						
OVERRIDECENTER						
OWNERID						
PAGESETUPOVERRIDESTEMPLATEFILE						
PAPERSPACE						
PAPERUNITS						
PARENT						

Object-Property	2000	2000i	2002	2004	2005	2006
PASSWORD						
PATH						
PATTERNANGLE						
PATTERNDOUBLE						
PATTERNNAME						
PATTERNSCALE						
PATTERNSPACE						
PATTERNSTYPE						
PERIMETER						
PICKADD						
PICKAUTO						
PICKBOXSIZE						
PICKDRAG						
PICKFIRST						
PICKFIRSTSELECTIONSET						
PICKGROUP						
PLOT						
PLOTCONFIGURATIONS						
PLOTHIDDEN						
PLOTLEGACY						
PLOTLOGFILEPATH						
PLOTORIGIN						
PLOTPOLICY						
PLOTROTATION						
PLOTSTYLENAME						
PLOTTABLE						
PLOTTYPE						
PLOTVIEWPORTBORDERS						
PLOTVIEWPORTSFIRST						
PLOTWITHLINEWEIGHTS						
PLOTWITHPLOTSTYLES						
POLARTRACKINGVECTOR						
POSTSCRIPTPROLOGFILE						
PREFERENCES						
PRESET						
PRIMARYUNITSPRECISION						
PRINCIPALDIRECTIONS						
PRINCIPALMOMENTS						
PRINTERCONFIGPATH						
PRINTERDESCPATH						
PRINTERPAPERSIZEALERT						
PRINTERSPOOLALERT						
PRINTERSTYLESHEETPATH						
PRINTFILE						
PRINTSPOOLERPATH						
PRINTSPOOLEXECUTABLE						
PRODUCTOFINERTIA						
PROFILES						
PROMPTSTRING						
PROPERTYNAME						
PROVIDERNAME						
PROVIDERTYPE						
PROXYIMAGE						
QNEWTEMPLATEFILE						
QUIETERRORMODE						
RADIOFGYRATION						
RADIUS						
RADIUSRATIO						
READONLY						
RED						
REFERENCECOUNT						
REGENERATETABLESUPPRESSED						
REGISTEREDAPPLICATIONS						
REMOVEHIDDENLINES						
RENDERSMOOTHNESS						
REVISIONNUMBER						

Object-Property	2000	2000i	2002	2004	2005	2006
ROTATION						
ROUNDDISTANCE						
ROWHEIGHT						
ROWS						
ROWSPACING						
SAVEASTYPE						
SAVED						
SAVEPREVIEWTHUMBNAIL						
SCALEFACTOR						
SCALELINEWEIGHTS						
SCMCOMMANDMODE						
SCMDEFAULTMODE						
SCMEDITMODE						
SCMTIMEMODE						
SCMTIMEVALUE						
SECONDPOINT						
SEGMENTPERPOLYLINE						
SELECTION						
SELECTIONSETS						
SERIALNUMBER						
SHADEPLOT						
SHORTCUTMENU						
SHORTCUTMENUDISPLAY						
SHOW						
SHOWPLOTSTYLES						
SHOWPROXYDIALOGBOX						
SHOWRASTERIMAGE						
SHOWROTATION						
SHOWWARNINGMESSAGES						
SINGLEDOCUMENTMODE						
SNAPBASEPOINT						
SNAPON						
SNAPROTATIONANGLE						
SOLIDFILL						
STANDARDSCALE						
STARTANGLE						
STARTPARAMETER						
STARTPOINT						
STARTTANGENT						
STATUSID						
STORESQLINDEX						
STYLENAME						
STYLESHEET						
SUBJECT						
SUBMENU						
SUMMARYINFO						
SUPPORTPATH						
SUPPRESSLEADINGZEROS						
SUPPRESSTRILINGZEROS						
SUPPRESSZEROFEET						
SUPPRESSZEROINCHES						
SYMBOLPOSITION						
SYSTEM						
TABLESREADONLY						
TABLESTYLEOVERRIDES						
TABORDER						
TAGSTRING						
TARGET						
TEMPFILEEXTENSION						
TEMPFILEPATH						
TEMPLATEDWGPATH						
TEMPXREFPATH						
TEXTALIGNMENTPOINT						
TEXTCOLOR						
TEXTEDITOR						
TEXTFONT						

Object-Property	2000	2000i	2002	2004	2005	2006
TEXTFONTSIZE						
TEXTFONTSTYLE						
TEXTFRAMEDISPLAY						
TEXTGAP						
TEXTGENERATIONFLAG						
TEXTHEIGHT						
TEXTINSIDE						
TEXTINSIDEALIGN						
TEXTMOVEMENT						
TEXTOUTSIDEALIGN						
TEXTOVERRIDE						
TEXTPOSITION						
TEXTPRECISION						
TEXTPREFIX						
TEXTROTATION						
TEXTSTRING						
TEXTSTYLE						
TEXTSTYLES						
TEXTSUFFIX						
TEXTUREMAPPATH						
TEXTWINBACKGRNDCOLOR						
TEXTWINTEXTCOLOR						
THICKNESS						
TIMESERVER						
TIMESTAMP						
TITLE						
TITLESUPPRESSED						
TOLERANCEDISPLAY						
TOLERANCEHEIGHTSCALE						
TOLERANCEJUSTIFICATION						
TOLERANCELOWERLIMIT						
TOLERANCEPRECISION						
TOLERANCESUPPRESSLEADINGZEROS						
TOLERANCESUPPRESSTRILINGZEROS						
TOLERANCESUPPRESSZEROFEET						
TOLERANCESUPPRESSZEROINCHES						
TOLERANCEUPPERLIMIT						
TOOLBARS						
TOOLPALETTEPATH						
TOP						
TOTALANGLE						
TRANSLATEIDS						
TRANSPARENCY						
TRUECOLOR						
TRUECOLORIMAGES						
TWISTANGLE						
TYPE						
UCSICONATORIGIN						
UCSICONON						
UCSPERVIEWPORT						
UNITS						
UNITSFORMAT						
UNITSTYPE						
UPPERRIGHTCORNER						
UPSIDEDOWN						
URL						
URLDDESCRIPTION						
URLNAMEDLOCATION						
USED						
USELASTPLOTSETTINGS						
USER						
USERCOORDINATESYSTEMS						
USESTANDARDSCALE						
UTILITY						
VALUE						
VBE						

Object-Property	2000	2000i	2002	2004	2005	2006
VERIFY						
VERSION						
VERSIONGUID						
VERTCELLMARGIN						
VERTICALALIGNMENT						
VERTICALTEXTPOSITION						
VIEWPORTDEFAULT						
VIEWPORTON						
VIEWPORTS						
VIEWS						
VIEWTOPLOT						
VISIBILITYEDGE1						
VISIBILITYEDGE2						
VISIBILITYEDGE3						
VISIBILITYEDGE4						
VISIBLE						
VOLUME						
WEIGHTS						
WIDTH						
WINDOWLEFT						
WINDOWSTATE						
WINDOWTITLE						
WINDOWTOP						
WORKSPACEPATH						
XEFFECTIVESCALEFACTOR						
XREFDATABASE						
XREFDEMANDLOAD						
XREFEDIT						
XREFFADEINTENSITY						
XREFLAYERVERSIBILITY						
XSCALEFACTOR						
XVECTOR						
YEFFECTIVESCALEFACTOR						
YSCALEFACTOR						
YVECTOR						
ZEFFECTIVESCALEFACTOR						
ZSCALEFACTOR						

							Method not available
							Method is available
							Method changed
							Method deleted
Object-Method	2000	2000i	2002	2004	2005	2006	
ACTIVATE							
ADD							
ADD3DFACE							
ADD3DMESH							
ADD3DPOLY							
ADDARC							
ADDATTRIBUTE							
ADDBOX							
ADDCIRCLE							
ADDCONE							
ADDCUSTOMINFO							
ADDCUSTOMOBJECT							
ADDCYLINDER							
ADD3DIM3POINTANGULAR							
ADD3DIMALIGNED							
ADD3DIMANGULAR							
ADD3DIMARC							
ADD3DIMDIAMETRIC							
ADD3DIMORDINATE							
ADD3DIMRADIAL							
ADD3DIMRADIALLARGE							
ADD3DIMROTATED							
ADDELLIPSE							
ADDELLIPTICALCONE							
ADDELLIPTICALCYLINDER							
ADDEXTRUDEDSOLID							
ADDEXTRUDEDSOLIDALONGPATH							
ADDFITPOINT							
ADDHATCH							
ADDITEMS							
ADDLEADER							
ADDLIGHTWEIGHTPOLYLINE							
ADDLINE							
ADDMENUITEM							
ADDINSERTBLOCK							
ADDMLINE							
ADDMTEXT							
ADDOBJECT							
ADDPOINT							
ADDPOLYFACEMESH							
ADDPOLYLINE							
ADDPVIEWPORT							
ADDRASTER							
ADDRAY							
ADDREGION							
ADDREVOLVEDSOLID							
ADDSEPARATOR							
ADDSHAPE							
ADDSOLID							
ADDSPHERE							
ADDSPLINE							

Object-Method	2000	2000i	2002	2004	2005	2006
ADDSUBMENU						
ADDTABLE						
ADDTEXT						
ADDTOLERANCE						
ADDTOOLBARBUTTON						
ADDTORUS						
ADDTRACE						
ADDVERTEX						
ADDWEDGE						
ADDXLINE						
ADDXRECORD						
ANGLEFROMXAXIS						
ANGLETOREAL						
ANGLETOSTRING						
APPENDINNERLOOP						
APPENDITEMS						
APPENDOUTERLOOP						
APPENDVERTEX						
ARRAYPOLAR						
ARRAYRECTANGULAR						
ATTACHEXTERNALREFERENCE						
ATTACHTOOLBARTOFLYOUT						
AUDITINFO						
BIND						
BLOCK						
BOOLEAN						
CHECKINTERFERENCE						
CLEAR						
CLEARSUBSELECTION						
CLEARTABLESTYLEOVERRIDES						
CLIPBOUNDARY						
CLOSE						
CONVERTTOANONYMOUSBLOCK						
CONVERTTOSTATICBLOCK						
COPY						
COPYFROM						
COPYOBJECTS						
COPYPROFILE						
CREATEENTRY						
CREATETYPEDARRAY						
DELETE						
DELETECELLCONTENT						
DELETECOLUMNS						
DELETECONFIGURATION						
DELETEFITPOINT						
DELETEPROFILE						
DELETEROWS						
DETACH						
DISPLAY						
DISPLAYPLOTPREVIEW						
DISTANCETOREAL						
DOCK						
ELEVATEORDER						
ENDUNDOMARK						
ERASE						
EVAL						
EVALUATE						
EXPLODE						
EXPORT						

Object-Method	2000	2000i	2002	2004	2005	2006
EXPORTPROFILE						
FIELDCODE						
FLOAT						
GENERATELAYOUT						
GENERATEUSAGEDATA						
GETACADSTATE						
GETALIGNMENT						
GETALLPROFILENAMES						
GETANGLE						
GETATTACHMENTPOINT						
GETATTRIBUTES						
GETAUTOSCALE						
GETBACKGROUNDCOLOR						
GETBACKGROUNDCOLORNONE						
GETBITMAPS						
GETBLOCKATTRIBUTEVALUE						
GETBLOCKROTATION						
GETBLOCKSCALE						
GETBLOCKTABLERECORDID						
GETBOUNDINGBOX						
GETBULGE						
GETCANONICALMEDIANAMES						
GETCELLALIGNMENT						
GETCELLBACKGROUNDCOLOR						
GETCELLBACKGROUNDCOLORNONE						
GETCELLCONTENTCOLOR						
GETCELLEXTENTS						
GETCELLGRIDCOLOR						
GETCELLGRIDLINEWEIGHT						
GETCELLGRIDVISIBILITY						
GETCELLSTYLEOVERRIDES						
GETCELLTEXTHEIGHT						
GETCELLTEXTSTYLE						
GETCELLTYPE						
GETCOLOR						
GETCOLUMNWIDTH						
GETCONSTANTATTRIBUTES						
GETCONTENTCOLOR						
GETCONTROLPOINT						
GETCORNER						
GETCUSTOMBYINDEX						
GETCUSTOMBYKEY						
GETCUSTOMSCALE						
GETDISTANCE						
GETDYNAMICBLOCKPROPERTIES						
GETENTITY						
GETEXTENSIONDICTIONARY						
GETFIELDID						
GETFITPOINT						
GETFONT						
GETFULLDRAWORDER						
GETGRIDCOLOR						
GETGRIDLINEWEIGHT						
GETGRIDSPACING						
GETGRIDVISIBILITY						
GETINPUT						
GETINTEGER						
GETINTERFACEOBJECT						
GETINVISIBLEEDGE						

Object-Method	2000	2000i	2002	2004	2005	2006	
GETKEYWORD							
GETLOCALEMEDIANAME							
GETLOOPAT							
GETMINIMUMCOLUMNWIDTH							
GETMINIMUMROWHEIGHT							
GETNAME							
GETOBJECT							
GETORIENTATION							
GETPAPERMARGINS							
GETPAPERSIZE							
GETPLOTDEVICENAMES							
GETPLOTSTYLETABLENAMES							
GETPOINT							
GETPROJECTFILEPATH							
GETREAL							
GETRELATIVEDRAWORDER							
GETREMOTEFILE							
GETROWHEIGHT							
GETROWTYPE							
GETSNAPSPACING							
GETSTRING							
GETSUBENTITY							
GETSUBSELECTION							
GETTEXT							
GETTEXTHEIGHT							
GETTEXTROTATION							
GETTEXTSTYLE							
GETUCSMATRIX							
GETVARIABLE							
GETWEIGHT							
GETWIDTH							
GETWINDOWTOPLOT							
GETXDATA							
GETXRECORDDATA							
HANDLETOOBJECT							
HIGHLIGHT							
HITTEST							
IMPORT							
IMPORTPROFILE							
INDEXOF							
INITIALIZEUSERINPUT							
INSERTBLOCK							
INSERTCOLUMNS							
INSERTINMENUBAR							
INSERTLOOPAT							
INSERTMENUINMENUBAR							
INSERTROWS							
INTERSECTWITH							
ISMERGEDCELL							
ISREMOTEFILE							
ISURL							
ITEM							
LAUNCHBROWSERDIALOG							
LISTARX							
LOAD							
LOADARX							
LOADDVB							
LOADSHAPEFILE							
MERGECELLS							

Object-Method	2000	2000i	2002	2004	2005	2006
MIRROR						
MIRROR3D						
MOVE						
MOVEABOVE						
MOVEBELOW						
MOVETOBOTTOM						
MOVETOTOP						
NEW						
NUMCUSTOMINFO						
OBJECTIDTOOBJECT						
OFFSET						
OPEN						
PLOTTODEVICE						
PLOTTOFILE						
POLARPOINT						
PROMPT						
PURGEALL						
PURGEFITDATA						
PUTREMOTEFILE						
QUIT						
REALTOSTRING						
RECOMPUTETABLEBLOCK						
REFRESHPLOTDEVICEINFO						
REGEN						
RELOAD						
REMOVE						
REMOVECUSTOMBYINDEX						
REMOVECUSTOMBYKEY						
REMOVEENTRY						
REMOVEFROMMENUBAR						
REMOVEITEMS						
REMOVEMENUFROMMENUBAR						
RENAME						
RENAMEPROFILE						
REPLACE						
RESELECTSUBREGION						
RESETBLOCK						
RESETPROFILE						
RESTORE						
REVERSE						
ROTATE						
ROTATE3D						
RUNMACRO						
SAVE						
SAVEAS						
SCALEENTITY						
SECTIONSOLID						
SELECT						
SELECTATPOINT						
SELECTBYPOLYGON						
SELECTONSCREEN						
SELECTSUBREGION						
SENDCOMMAND						
SENDMODELESSOPERATIONENDED						
SENDMODELESSOPERATIONSTART						
SETALIGNMENT						
SETAUTOSCALE						
SETBACKGROUNDDCOLOR						
SETBACKGROUNDDCOLORNONE						

Object-Method	2000	2000i	2002	2004	2005	2006
SETBITMAPS						
SETBLOCKATTRIBUTEVALUE						
SETBLOCKROTATION						
SETBLOCKSCALE						
SETBLOCKTABLERECORDID						
SETBULGE						
SETCELLALIGNMENT						
SETCELLBACKGROUNDCOLOR						
SETCELLBACKGROUNDCOLORNONE						
SETCELLCONTENTCOLOR						
SETCELLGRIDCOLOR						
SETCELLGRIDLINEWEIGHT						
SETCELLGRIDVISIBILITY						
SETCELLTEXTHEIGHT						
SETCELLTEXTSTYLE						
SETCELLTYPE						
SETCOLOR						
SETCOLORBOOKCOLOR						
SETCOLUMNWIDTH						
SETCONTENTCOLOR						
SETCONTROLPOINT						
SETCUSTOMBYINDEX						
SETCUSTOMBYKEY						
SETCUSTOMSCALE						
SETDATABASE						
SETFIELDID						
SETFITPOINT						
SETFONT						
SETGRIDCOLOR						
SETGRIDLINEWEIGHT						
SETGRIDSPACING						
SETGRIDVISIBILITY						
SETINVISIBLEEDGE						
SETLAYOUTSTOPLOT						
SETNAMES						
SETPATTERN						
SETPROJECTFILEPATH						
SETRELATIVEDRAWORDER						
SETRGB						
SETROWHEIGHT						
SETSNAPSPACING						
SETSUBSELECTION						
SETTEXT						
SETTEXTHEIGHT						
SETTEXTROTATION						
SETTEXTSTYLE						
SETVARIABLE						
SETVIEW						
SETWEIGHT						
SETWIDTH						
SETWINDOWSTOPLOT						
SETXDATA						
SETXRECORDDATA						
SLICESOLID						
SPLIT						
STARTBATCHMODE						
STARTUNDOMARK						
SWAPORDER						
TRANSFORMBY						

Object-Method	2000	2000i	2002	2004	2005	2006	
TRANSLATECOORDINATES							
UNLOAD							
UNLOADARX							
UNLOADDVB							
UNMERGECELLS							
UPDATE							
UPDATEENTRY							
WBLOCK							
XMLIN							
XMLOUT							
ZOOMALL							
ZOOMCENTER							
ZOOMEXTENTS							
ZOOMPICKWINDOW							
ZOOMPREVIOUS							
ZOOMSCALED							
ZOOMWINDOW							